



EMERGENCY RECOVERY DELUX BED UMS-DR8

Technical features		Standard configuration
Bed structure material	MS tube 25x75 pipe 1.4 mm thickness and 1.25 mm thickness CRC sheet with perforated copper wire c02 welding	(1)back side position up down
Structure material	MS tube pipe 1.4 mm and 1.25 mm CRC sheet	Steel curv panel
Overall bed outer damnation	2000L X700W	Aluminium collapsible safety side railing
Mattress platform damnation	1900L X 600 W	
Height adjustment	450 TO 800 MM height adjustment through hydraulic operating systems	Radiolucent acrylic sheet
Reverstrangle /up trangle	Peniutric gas spring through	Hydraulic and Hand key with polymer handle
Operating systems	Hand key	4 side bed safety side wafer
Finice epoxy powder coated		4 side iv pole hole
Safe working load	200 kg	Mattress IV stand cylinder trolley optional



EMERGENCY RECOVERY BED UMS-DR9

Technical features		Standard configuration
Bed structure material	MS tube 25x75 pipe 1.4 mm thickness and 1.25 mm thickness CRC sheet with perforated copper wire c02 welding	(1)back side position up down
Structure material	MS tube pipe 1.4 mm and 1.25 mm CRC sheet	Steel panel
Overall bed outer damnation	2000L X700W	Stainless steel safety side railing
Mattress platform damnation	1900L X 600 W	
Height adjustment	450 TO 800 MM height adjustment through hand key operating systems	Radiolucent acrylic sheet
Reverstrangle /up trangle	Peniutric gas spring through	4 Hand key with polymer handle
Operating systems	Hand key	4 side bed safety side wafer
Finice epoxy powder coated		4 side iv pole hole
Safe working load	200 kg	Mattress IV stand cylinder trolley optional