



### GYNIC DELUX ELECTRONI FOWLER BED UMS-GD1

Technical features		Standard configuration
Bed structure material	MS tube 25x75 pipe 1.4 mm thickness and 1.25 mm thickness CRC sheet with perforated copper wire c02 welding	(1)Head position up down BY Linear actuators (2) foot position up down by linear actuators
Structure material	MS tube pipe 1.4 mm and 1.25 mm CRC sheet	ABS Moulded panels
Overall bed outer damnation	2000L X980W	ABS tuck away 4safety side railing
Mattress platform damnation	1900L X 880W	100 mm castor wheel with 2 brack
Height adjustment	Fix height 600 mm	MS CRC perforated sheet
		Electronic hand remote through
		Central locking brake systems
Bed Operating systems	Electronic actuators through	4 side bed safety side wafer
Product finis	Pre-treated and epoxy powder coated	4 side iv pole hole
Safe working load	200 kg	Mattress IV stand cylinder trolley

### GYNIC SEMI DELUX MANUALLY FOWLER BED UMS-GD1

Technical features		Standard configuration
Bed structure material	MS tube 25x75 pipe 1.4 mm thickness and 1.25 mm thickness CRC sheet with perforated copper wire c02 welding	(1)Head position up down manually (2) foot position up down manually
Structure material	MS tube pipe 1.4 mm and 1.25 mm CRC sheet	ABS Moulded ss pipe with wooden board fitted panels
Overall bed outer damnation	2000L X980W	Aluminium collapsible safety side railing
Mattress platform damnation	1900L X 880W	100 mm castor wheel with 2 brake
Height adjustment	Fix height 600 mm	MS CRC perforated sheet
		Hand key with polymer handle through
Bed Operating systems	Electronic actuators through	4 side bed safety side wafer
Finice epoxy powder coated		4 side iv pole hole
Safe working load	200 kg	Mattress IV stand cylinder trolley